


予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-220P/F

No. TMP-220611-000
 モーター/Motor 0.4kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.1

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
10	13.0	0.021	11.2	0.19	0.7
50	11.8	0.096	35.6	0.27	0.9
80	10.2	0.133	41.6	0.32	0.9
100	9.0	0.147	43.1	0.34	1.0
150	5.0	0.122	34.0	0.36	1.2




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-220P/F

No. TMP-220613-000
 モーター/Motor 0.4kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.3

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
10	11.8	0.019	10.1	0.19	0.7
50	10.8	0.088	36.7	0.24	0.9
80	9.0	0.117	41.9	0.28	0.9
100	7.4	0.121	41.6	0.29	1.0
120	5.3	0.104	33.4	0.31	1.2



予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-220P/F

No. TMP-220615-000
 モーター/Motor 0.4kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.5

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
10	10.7	0.017	14.5	0.12	0.7
50	9.5	0.077	38.7	0.20	0.9
80	7.8	0.102	46.2	0.22	0.9
100	6.1	0.099	41.4	0.24	1.0
120	4.0	0.078	31.3	0.25	1.2

