


予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-545P/F/C

No. TMP-241610-150
 モーター/Motor 3.7kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.0

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
30	41.3	0.202	12.1	1.67	1.0
200	39.1	1.275	45.0	2.83	1.1
300	35.3	1.726	52.6	3.28	1.7
400	30.2	1.969	56.3	3.50	2.5
500	24.5	1.997	55.0	3.63	4.8




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-545P/F/C

No. TMP-241611-148
 モーター/Motor 3.7kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.1

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
30	40.2	0.197	12.1	1.62	1.0
100	40.2	0.655	31.8	2.06	1.1
200	37.9	1.236	45.6	2.71	1.7
300	34.5	1.687	54.2	3.11	2.5
400	29.6	1.930	57.8	3.34	4.2




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-545P/F/C

No. TMP-241613-141
 モーター/Motor 3.7kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.3

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
30	35.5	0.174	12.3	1.41	0.8
100	35.4	0.577	31.5	1.83	1.1
200	33.9	1.105	47.0	2.35	1.7
300	30.6	1.496	55.8	2.68	2.5
400	25.5	1.663	57.1	2.91	4.2




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-545P/F/C

No. TMP-241615-133
 モーター/Motor 3.7kW
 周波数/Freq. 60Hz
 適用比重/S.G. <1.5

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
30	30.9	0.151	13.3	1.14	0.8
100	30.6	0.499	33.7	1.48	1.1
200	29.0	0.945	48.5	1.95	1.7
300	25.4	1.242	55.7	2.23	2.5
400	20.1	1.311	55.1	2.38	4.2



予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-545P/F/C

No. TMP-241619-125
 モーター/Motor 3.7kW
 周波数/Freq. 60Hz
 適用比重/S.G. =<1.9

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
30	26.0	0.127	14.0	0.91	0.8
100	25.5	0.416	34.4	1.21	1.1
200	23.5	0.766	48.5	1.58	1.7
300	19.6	0.958	53.2	1.80	2.5
400	13.6	0.887	48.7	1.82	4.2

