


予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-655P/F/C

No. TMP-251511-145
 モーター/Motor 3.7kW
 周波数/Freq. 50Hz
 適用比重/S.G. =1.0

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
50	27.0	0.220	15.6	1.41	1.2
200	27.5	0.896	43.5	2.06	1.6
400	25.8	1.682	59.0	2.85	2.4
600	21.9	2.142	62.6	3.42	3.2
800	15.6	2.034	55.0	3.70	4.3




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-655P/F/C

No. TMP-251511-140
 モーター/Motor 3.7kW
 周波数/Freq. 50Hz
 適用比重/S. G. =<1.1

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
50	25.2	0.205	16.4	1.25	1.2
200	25.4	0.828	42.5	1.95	1.6
400	23.8	1.552	60.9	2.55	2.4
600	19.9	1.946	62.8	3.10	3.2
800	13.5	1.760	51.6	3.41	4.3




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-655P/F/C

No. TMP-251513-000
 モーター/Motor 3.7kW
 周波数/Freq. 50Hz
 適用比重/S. G. <1.3

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
50	23.2	0.189	14.9	1.27	1.2
200	22.9	0.747	41.2	1.81	1.6
400	20.6	1.343	56.2	2.39	2.4
600	16.6	1.623	59.0	2.75	3.2
800	10.0	1.304	45.8	2.85	4.3




予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-655P/F/C

No. TMP-251515-000
 モーター/Motor 3.7kW
 周波数/Freq. 50Hz
 適用比重/S.G. =<1.5

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
50	20.1	0.164	14.9	1.10	1.2
200	19.6	0.639	39.4	1.62	1.6
400	16.9	1.102	52.5	2.10	2.4
600	12.0	1.174	49.3	2.38	3.2
700	8.5	0.970	39.6	2.45	4.0



予想性能曲線

PERFORMANCE CURVES

テラダマグネットポンプ
 TERADA MAGNET DRIVE PUMP
 型式/MODEL TM-655P/F/C

No. TMP-251519-000
 モーター/Motor 3.7kW
 周波数/Freq. 50Hz
 適用比重/S.G. =<1.9

吐出量 FLOW	全揚程 TOTAL HEAD	水馬力 WATER POWER	ポンプ効率 PUMP EFF.	軸動力 SHAFT POWER	NPSHr
L/min	m	kW	%	kW	m
50	16.2	0.132	13.9	0.95	1.2
200	15.5	0.505	39.5	1.28	1.4
300	14.1	0.689	46.6	1.48	1.6
500	9.1	0.742	40.8	1.82	2.7
650	4.5	0.477	25.0	1.91	3.5

